

# Òаїїе÷аїїеа ааїїїа нїоїеїаїа даїеааоїа ДÈÈÌĐ ÒÁ IVR 5250S, IVR 3100S

Áаоїđ Đаааеїđ  
28.08.2010 а.  
Їїеааїаа їаїїеаїеа 25.09.2010 а.

Òаїїе÷аїїеа ааїїїа нїоїеїаїа даїеааоїа ДÈÈÌĐ ÒÁ IVR 5250S, IVR 3100S  
Òїаđ даїеааоїа Дееїđ ÒÁ

Áїїаїїе даçїаї:

Òеї "F", IEC 169-24, đїçаòеа

Áїїаїїа нїđїоèеаеаїеа:

75 Òї

Àеаїаçїї їđеїеааїїо ÷аїїїо

950 - 2150 ÌÃö

Øеđеїа їїеїїу IF:

36 ÌÃö

Óđїааїїу аđїаїїаї ñеаїаеа:

їò - 65 аї - 25 äÁìÃò

Їїаааđæеа ñòаїааđоїа:

DVB-S è DVB-S2

Ìаеїїеаеїїаı ñеїаїеїїаı ñеїđїїої:

20-30 Mñеї/ñ (QPSK), 10-30 Mñеї/ñ (8PSK)

Їїаааđæеа FEC:

1/2, 2/3, 3/4, 5/6 è 7/8

Їеòаїеа еїїааđоаđа (LNB):

+13 Á (ааđоèеаеїїаı ñїеıđеçаòеı), +18 Á (аїđеçїїоаеїїаı ñїеıđеçаòеı) їđе оїеа аї 500ìÁ

Їаđаеēр÷аїеа аеаїаçїїа:

оїї 22+2 еÃö

Їđїòїеїе:

DiSEQC 2.0

Èїеè÷аїїоаї оїаїđїа:

2 ñеїоаїїїа даїїоđїїу даїеааоїа Дееїđ ÒÁ

Їđїоаїїїđ:

STi 7100

Flash їаїїої:

8 Ìаàеò

Νεὸ πρῶτον:

DDR SDRAM 128 ἰάεο

Ἄλλο πρῶτον:

DDR SDRAM 64 ἰάεο

Ἰάεο ἀρῶν:

160 ἰάεο

Ὀδοῖα

USB 2.0

Ἰάεο ἀρῶν:

Ἰᾶ ("over-the-air", ἀρῶν ἀρῶν) Ἄλλο δῶρεα

Ἄλλο πρῶτον:

MPEG-2, H.264/AVC (MPEG-4)

Ὀδοῖα ἀρῶν:

4:3, 14:9, 16:9

Ἰάεο ἀρῶν:

1080i (ἀρῶν ἀρῶν HD), 576p (ἀρῶν ἀρῶν SD)

Ἄλλο πρῶτον:

Ἰάεο ἀρῶν IVR 5250S > Ἰᾶ SCART, S-Video, HDMI (Ὀδοῖα)

RF-Ἰάεο ἀρῶν (ἀρῶν ἀρῶν):

36 ἰάεο, ἀρῶν ἀρῶν 591, 25 ἰᾶ

Ἰάεο ἀρῶν IVR 3100S > TV SCART, HDMI (Ὀδοῖα) Ἄλλο δῶρεα

Ἄλλο πρῶτον:

MPEG-1, MPEG-2, Dolby Digital, AC3 Dolby Digital

Ἄλλο πρῶτον:

Ἰάεο ἀρῶν IVR 5250S > RCA ἰᾶ (ἀρῶν ἀρῶν), S/PDIF ἰᾶ ἀρῶν (Ὀδοῖα D-ἀρῶν)

Ἰάεο ἀρῶν IVR 3100S >

S/PDIF ἰᾶ ἀρῶν (Ὀδοῖα D-ἀρῶν)

Ὀδοῖα ἀρῶν

Ἰάεο ἀρῶν IVR 5250S ἰᾶ ἀρῶν:

2 ἰᾶ; CI ἰᾶ ἀρῶν: 1 ἰᾶ

Ἰάεο ἀρῶν IVR 3100S ἰᾶ ἀρῶν:

